

Laboratory Director

20-127-063

Ammon Analytical Laboratories LLC. | 35 East Blancke Street. Linden, NJ 07036-4646 | (908)862-4404

ID#:

Location: AMMON LABS
Patient: DOE, JANE
Age: 19
DOB: 1/1/2001
Sex: Female

35 E BLANCKE ST LINDEN, NJ 07036

9088624404

MRN:

Physician: ***DEFAULT PROVIDER,

Order Choices Ordered

Amphetamine LC-MS/MS, Barbiturates LC-MS/MS, Bath Salts (SS) LC-MS/MS, Benzodiazepines LC-MS/MS, Buprenorphine LC-MS/MS, Cocaine Metabolite LC-MS/MS, Dextromethorphan (OA) LC-MS/MS, Fentanyl LC-MS/MS, Gabapentin LC-MS/MS, Heroin Metabolite(6-AM) LC-MS/MS, Ketamine LC-MS/MS, MDMA (ecstasy) LC-MS/MS, Meperidine (OA) LC-MS/MS, Methadone LC-MS/MS, Methylphenidate (Ritalin) LC-MS/MS, Mitragynine (Kratom)(ALK) LC-MS/MS, Naloxone LC-MS/MS, Naltrexone (OA) LC-MS/MS, Opiates LC-MS/MS, Oxycodone LC-MS/MS, PCP LC-MS/MS, Pregabalin LC-MS/MS, Skeletal Muscle Relaxants LC-MS/MS, Specimen Validity Testing, Tapentadol LC-MS/MS, Tramadol LR LC-MS/MS, Zolpidem+Zaleplon (SH) LC-MS/MS

Order Choices Pending

None

Prescribed Medications: Alprazolam

TEST RESULTS SUMMARY

CONSISTENT							
Drug/Metabolite	Result	Interpretation	Remarks				
NONE							

INCONSISTENT						
Drug/Metabolite	Result	Interpretation	Remarks			
Alpha-Hydroxyalprazolam	Negative	Inconsistent				
Alprazolam	Negative	Inconsistent				
Fentanyl	5.6 Positive	Inconsistent				
Norfentanyl	27.5 Positive	Inconsistent				

Medications Not Tested

None

SPECIMEN VALIDITY TESTING						
Test	Result	Interpretation	Reference Ranges	Units		
Creatinine	152.0	Normal	20-350	mg/dL		
Oxidants/Nitrites	Negative	Normal	<200	ug/mL		
pН	7.2	Normal	4.5-9			
Specific Gravity	1.023	Normal	1.003-1.035	g/mL		

Report Status: FINAL Print Date: 5/6/2020 12:41:40 PM 1 of 4



Age:

Sex:

19

Female

Laboratory Director

Location: AMMON LABS

35 E BLANCKE ST LINDEN, NJ 07036

9088624404

Accession# 200506AMNJ01423

Physician: ***DEFAULT PROVIDER,

First Print Date: May 6 2020 12:17PM

Patient: DOE, JANE DOB: 1/1/2001 ID#:

20-127-063

MRN:

Coll. Date: May 6 2020 10:59AM Recv. Date: May 6 2020 12:12PM First reported on: May 6 2020 12:16PM Last report date: May 6 2020 12:17PM

TOXICOLOGY RESULTS					
		TEST RESU			
Test Name	Results (ng/mL)	Cutoff	Reference Range	Remarks	
RXMATCH MODERATE PANEL I	WITHOUT SCREENS				
Amphetamine LC-MS/MS					
Amphetamine	Negative	<100.0	Negative		
Methamphetamine	Negative	<250.0	Negative		
Barbiturates LC-MS/MS	-				
Butalbital	Negative	<100.0	Negative		
Phenobarbital	Negative	<100.0	Negative		
Bath Salts (SS) LC-MS/MS	•		•		
MDPV	Negative	<25.0	Negative		
Mephedrone	Negative	<25.0	Negative		
Methedrone	Negative	<25.0	Negative		
Methylone	Negative	<25.0	Negative		
Buphedrone	Negative	<50.0	Negative		
Benzodiazepines LC-MS/MS	•		•		
Diazepam	Negative	<50.0	Negative		
Oxazepam	Negative	<50.0	Negative		
Nordiazepam	Negative	<50.0	Negative		
Temazepam	Negative	<50.0	Negative		
Lorazepam	Negative	<50.0	Negative		
Alprazolam	Negative	<50.0	Negative		
Alpha-Hydroxyalprazolam	Negative	<50.0	Negative		
Clonazepam	Negative	<50.0	Negative	-	
7-Aminoclonazepam	Negative	<50.0	Negative		
Midazolam	Negative	<50.0	Negative		
Alpha-Hydroxymidazolam	Negative	<50.0	Negative		
Alpha-Hydroxytriazolam	Negative	<50.0	Negative		
Buprenorphine LC-MS/MS					
Buprenorphine	Negative	<10.0	Negative		
Norbuprenorphine	Negative	<20.0	Negative		
Cocaine Metabolite LC-MS/MS					
Benzoylecgonine	Negative	<100.0	Negative		

Continued on the next page.

Report Status: FINAL Print Date: 5/6/2020 12:41:40 PM 2 of 4



19

Laboratory Director

Patient: DOE, JANE Location: AMMON LABS Age: 35 E BLANCKE ST 1/1/2001 Sex: Female

DOB: LINDEN, NJ 07036 ID#: 20-127-063

9088624404 MRN:

Physician: ***DEFAULT PROVIDER, Accession# 200506AMNJ01423 Coll. Date: May 6 2020 10:59AM Recv. Date: May 6 2020 12:12PM

First Print Date: May 6 2020 12:17PM First reported on: May 6 2020 12:16PM Last report date: May 6 2020 12:17PM

TOXICOLOGY RESULTS						
TEST RESULTS						
Test Name	Results (ng/mL)	Cutoff	Reference Range	Remarks		
Dextromethorphan	Negative	<50.0	Negative			
Fentanyl LC-MS/MS						
Fentanyl	5.6 Positive	<5.0	Negative			
Acetyl Fentanyl	Negative	<10.0	Negative			
Norfentanyl	27.5 Positive	<5.0	Negative			
Sufentanil	Negative	<5.0	Negative			
Gabapentin LC-MS/MS						
Gabapentin	Negative	<500.0	Negative			
Heroin Metabolite(6-AM) LC-MS/M	S					
6-Monoacetylmorphine	Negative	<10.0	Negative			
Ketamine LC-MS/MS	•					
Ketamine	Negative	<100.0	Negative			
MDMA (ecstasy) LC-MS/MS			•			
MDA	Negative	<100.0	Negative			
MDEA	Negative	<100.0	Negative			
MDMA	Negative	<100.0	Negative			
Meperidine (OA) LC-MS/MS						
Meperidine	Negative	<50.0	Negative			
Normeperidine	Negative	<50.0	Negative			
Methadone LC-MS/MS						
Methadone	Negative	<50.0	Negative			
EDDP	Negative	<50.0	Negative			
Methylphenidate (Ritalin) LC-MS/M	MS					
Methylphenidate	Negative	<50.0	Negative			
Ritalinic Acid	Negative	<50.0	Negative			
Mitragynine (Kratom)(ALK) LC-MS	S/MS					
Mitragynine	Negative	<10.0	Negative			
Naloxone LC-MS/MS						
Naloxone	Negative	<25.0	Negative			
Naltrexone (OA) LC-MS/MS						
Naltrexone	Negative	<50.0	Negative			

Continued on the next page.

Print Date: 5/6/2020 12:41:40 PM 3 of 4 Report Status: FINAL



Laboratory Director

Ammon Analytical Laboratories LLC. | 35 East Blancke Street. Linden, NJ 07036-4646 | (908)862-4404

Location: AMMON LABS Patient: DOE, JANE 19 Age: Female Sex:

35 E BLANCKE ST DOB: 1/1/2001 LINDEN, NJ 07036 ID#: 20-127-063

9088624404 MRN:

Physician: ***DEFAULT PROVIDER, Accession# 200506AMNJ01423 Coll. Date: May 6 2020 10:59AM Recv. Date: May 6 2020 12:12PM

First reported on: May 6 2020 12:16PM Last report date: May 6 2020 12:17PM First Print Date: May 6 2020 12:17PM

TOXICOLOGY RESULTS						
TEST RESULTS						
Test Name	Results (ng/mL)	Cutoff	Reference Range	Remarks		
Morphine	Negative	<50.0	Negative			
Hydromorphone	Negative	<50.0	Negative			
Codeine	Negative	<50.0	Negative			
Norcodeine	Negative	<50.0	Negative			
Dihydrocodeine	Negative	<50.0	Negative			
Hydrocodone	Negative	<50.0	Negative			
Norhydrocodone	Negative	<50.0	Negative			
Oxycodone LC-MS/MS						
Oxycodone	Negative	<50.0	Negative			
Oxymorphone	Negative	<50.0	Negative			
Noroxycodone	Negative	<50.0	Negative			
PCP LC-MS/MS			-			
Phencyclidine	Negative	<25.0	Negative			
Pregabalin LC-MS/MS			-			
Pregabalin	Negative	<100.0	Negative			
Skeletal Muscle Relaxants LC-N	MS/MS		•			
Carisoprodol	Negative	<50.0	Negative			
Meprobamate	Negative	<50.0	Negative			
Cyclobenzaprine	Negative	<50.0	Negative			
Tapentadol LC-MS/MS			-			
Tapentadol	Negative	<50.0	Negative			
N-desmethyl-Tapentadol	Negative	<50.0	Negative			
Tramadol LR LC-MS/MS						
Tramadol	Negative	<50.0	Negative			
O-desmethyl-Tramadol	Negative	<50.0	Negative			
Zolpidem+Zaleplon (SH) LC-MS	s/MS	•	•			
Zolpidem	Negative	<20.0	Negative			
Zaleplon	Negative	<50.0	Negative			

EIA results are Presumptive only/Numerical values are semi-quantitative.

All Toxicology Specimens will be disposed of 21 days from receipt in laboratory.

Report Status: FINAL Print Date: 5/6/2020 12:41:40 PM 4 of 4

LC-MS/MS Results: These tests were developed and their performance established by Ammon Analytical Laboratory. They have not been approved by the FDA.