

Location: <b>AMMON LABS</b> 35 E BLANCKE ST LINDEN, NJ 07036 9088624404	Patient: <b>DOE, JANE</b> DOB: 1/1/2001 ID#: 20-127-063 MRN:	Age: 19 Sex: Female
Physician: ***DEFAULT PROVIDER,		
Accession# <b>200506AMNJ01378</b> First Print Date: May 6 2020 12:30PM	Coll. Date: May 6 2020 10:35AM First reported on: May 6 2020 12:30PM	Recv. Date: May 6 2020 12:12PM Last report date: May 6 2020 12:30PM

**Order Choices Ordered**

Screen 16 Panel EIA, Specimen Validity Testing

**Order Choices Pending**

None

**Abnormals**

Creatinine

**Abnormals**

Specific Gravity

SPECIMEN VALIDITY TESTING				
Test	Result	Interpretation	Reference Ranges	Units
Creatinine	15.0	Diluted	20-350	mg/dL
Oxidants/Nitrites	Negative	Normal	<200	ug/mL
pH	7.0	Normal	4.5-9	
Specific Gravity	1.002	Low	1.003-1.035	g/mL

**TOXICOLOGY RESULTS**

Test Name	Results	Out of Range	Cutoff	Reference Range	Units
<b>Screen 16 Panel EIA</b>					
AMPHETAMINES SCREEN	Negative		<1000	Negative	ng/mL
BARBITURATES SCREEN	Negative		<200	Negative	ng/mL
BENZODIAZEPINES SCREEN	Negative		<200	Negative	ng/mL
COCAINE SCREEN	Negative		<300	Negative	ng/mL
EDDP (METHADONE MTB) SCREEN	Negative		<100	Negative	ng/mL
METHADONE SCREEN	Negative		<300	Negative	ng/mL
MARIJUANA/THC SCREEN	Negative		<50	Negative	ng/mL
OPIATES SCREEN	Negative		<300	Negative	ng/mL
OXYCODONE SCREEN	Negative		<100	Negative	ng/mL
PHENCYCLIDINE/PCP SCREEN	Negative		<25	Negative	ng/mL
6-AM (HEROIN MTB) SCREEN	Negative		<10	Negative	ng/mL
ALCOHOL SCREEN	Negative		<50	Negative	mg/dL
ETHYL GLUCURONIDE / ETG SCREEN	Negative		<500	Negative	ng/mL
*Ethyl Glucuronide is an alcohol metabolite. This test was developed and its performance established by Ammon Analytical Laboratory. It has not been approved by the FDA.					
BUPRENORPHINE SCREEN	Negative		<5	Negative	ng/mL
ECSTASY / MDMA SCREEN	Negative		<500	Negative	ng/mL
FENTANYL SCREEN	Negative		<10	Negative	ng/mL

Continued on the next page.

Location: <b>AMMON LABS</b> 35 E BLANCKE ST LINDEN, NJ 07036 9088624404  Physician: ***DEFAULT PROVIDER,	Patient: <b>DOE, JANE</b> DOB: 1/1/2001 ID#: 20-127-063 MRN:	Age: 19 Sex: Female
Accession# <b>200506AMNJ01378</b> First Print Date: May 6 2020 12:30PM	Coll. Date: May 6 2020 10:35AM First reported on: May 6 2020 12:30PM	Recv. Date: May 6 2020 12:12PM Last report date: May 6 2020 12:30PM

EIA results are Presumptive only/Numerical values are semi-quantitative.  
 LC-MS/MS Results: These tests were developed and their performance established by Ammon Analytical Laboratory. They have not been approved by the FDA.  
 All Toxicology Specimens will be disposed of 21 days from receipt in laboratory.